



# Worst Fears Realized: Pfizer mRNA Transcribes into DNA

mRNA Vaccines Actually are "Gene Therapy", Study Shows



Igor Chudov

Feb 25

♡ 369

💬 419



A new study is out: [Intracellular Reverse Transcription of Pfizer BioNTech COVID-19 mRNA Vaccine BNT162b2 In Vitro in Human Liver Cell Line.](#)

## Intracellular Reverse Transcription of Pfizer BioNTech COVID-19 mRNA Vaccine BNT162b2 In Vitro in Human Liver Cell Line

by Markus Aldén<sup>1</sup> Francisko Olofsson Falla<sup>1</sup> Daowei Yang<sup>1</sup> Mohammad Barghouth<sup>1</sup> Cheng Luan<sup>1</sup> Magnus Rasmussen<sup>2</sup> Yang De Marinis<sup>1,\*</sup>

What it is saying is: **lab studies show that mRNA vaccine DOES integrate itself into human cellular DNA.** This means that a shot of Pfizer vaccine, taken even once, permanently changes the DNA of affected cells.

## It was Not Supposed to Happen

For over a year, our trusted “health experts and fact checkers” kept telling us the opposite:



Home Health topics Initiatives and programs Resources

Home > Initiatives and programs > COVID-19 vaccines > Is it true? Get the facts on COVID-19 vaccines

### Is it true? Can COVID-19 vaccines alter my DNA?

No, COVID-19 vaccines do not alter your DNA. Find out more below.

WebMD HEALTH A-Z DRUGS & SUPPLEMENTS LIVING HEALTHY FAMILY & PREGNANT

Lung Disease & Respiratory Health > Coronavirus > News

[WEBMD HEALTH NEWS]

## Chance That COVID-19 Vaccines Are Gene Therapy? 'Zero'

By Brenda Goodman, MA

Nov 29, 2021, 07:30am EST | 167,310 views

### Covid Vaccines Don't Alter Your DNA – They Help Choose Cells To Strengthen Your Immune Response



Steven Salzberg Contributor Healthcare

Follow



Listen to article 7 minutes



### MYTH: COVID-19 vaccines can alter my DNA.

FACT: COVID-19 vaccines do not change or interact with your DNA in any way.

Both messenger RNA (mRNA) and viral vector COVID-19 vaccines work by delivering instructions (genetic material) to our cells to start building protection against the virus that causes COVID-19.

After the body produces an immune response, it discards all the vaccine ingredients just as it would discard any information that cells no longer need. This process is a part of normal body functioning.



The genetic material delivered by mRNA vaccines never enters the nucleus of your cells, which is where your DNA is kept. Viral vector COVID-19 vaccines deliver genetic material to the cell nucleus to allow our cells to build protection against COVID-19. However, the vector virus does not have the machinery needed to integrate its genetic material into our DNA, so it cannot alter our DNA.

Learn more about how COVID-19 vaccines work.

# The COVID-19 vaccine does not change human DNA

REUTERS

World Business Markets Breakingviews Video More

REUTERS FACT CHECK AUGUST 13, 2021 / 11:21 AM / UPDATED 6 MONTHS AGO

### Fact Check: Controversial MIT study does not show that mRNA vaccines alter DNA

By Reuters Fact Check

5 MIN READ



A controversial study is being misrepresented on social media as evidence that mRNA COVID-19 vaccines modify your DNA.

The claims relate to a non-peer-reviewed paper published as a pre-print in December 2020 (here). The co-authors, which included two biologists from the respected Massachusetts Institute of Technology (MIT) here, here, claimed that the novel coronavirus could modify human DNA.

However, the bombshell article from Current Issues of Molecular Biology shows the opposite.

## Details

Type your email... [Subscribe]

## Abstract

Preclinical studies of COVID-19 mRNA vaccine BNT162b2, developed by Pfizer and BioNTech, showed reversible hepatic effects in animals that received the BNT162b2 injection. Furthermore, a recent study showed that SARS-CoV-2 RNA can be reverse-transcribed and integrated into the genome of human cells. In this study, we investigated the effect of BNT162b2 on the human liver cell line Huh7 in vitro. Huh7 cells were exposed to BNT162b2, and quantitative PCR was performed on RNA extracted from the cells. We detected high levels of BNT162b2 in Huh7 cells and changes in gene expression of long interspersed nuclear element-1 (LINE-1), which is an endogenous reverse transcriptase. Immunohistochemistry using antibody binding to LINE-1 open reading frame-1 RNA-binding protein (ORFp1) on Huh7 cells treated with BNT162b2 indicated increased nucleus distribution of LINE-1. PCR on genomic DNA of Huh7 cells exposed to BNT162b2 amplified the DNA sequence unique to BNT162b2. Our results indicate a fast up-take of BNT162b2 into human liver cell line Huh7, leading to changes in LINE-1 expression and distribution. We also show that BNT162b2 mRNA is reverse transcribed intracellularly into DNA in as fast as 6 h upon BNT162b2 exposure.

**Keywords:** COVID-19 mRNA vaccine; BNT162b2; liver; reverse transcription; LINE-1; Huh7

What the article shows is that in vitro, using a human liver cell line, Pfizer mRNA vaccine uses a natural reverse transcriptase enzyme called LINE-1, and the **genetic code of the vaccine is reverse transcribed into the DNA.**

It also explains that vaccine mRNA actually does travel to the liver as one of the preferred sites (the other sites, as we heard, are ovaries and more).

What does it mean? Normally, our cells do the opposite: the cell nucleus, where the DNA is, expresses certain DNA code based on conditions of the cell, and produces natural, human messenger RNA. That messenger RNA travels out of the nucleus, where it is expressed into proteins needed for cell building. This is how growing organisms express different genetic programs to grow muscle cells or brain cells, etc.


This process is called “transcription”.

For many years, Central Dogma of Molecular Biology stated that the “reverse transcription” – moving genetic code from RNA back into the sacred cellular nucleus and recoding the DNA – was impossible. Eventually, scientists realized that it is possible under various conditions. For example, the HIV RNA virus is able to do so and it reprograms our DNA to produce copies of it. HIV is the virus that causes AIDS.

To effect reverse transcription, enzymes called “reverse transcriptases” are needed. One of them is called LINE-1.

Apparently, per study, the Pfizer mRNA vaccine causes cells to produce that LINE-1 enzyme.


Next, we studied the effect of BNT162b2 on LINE-1 protein level. The full-length LINE-1 consists of a 5' untranslated region (UTR), two open reading frames (ORFs), ORF1 and ORF2, and a 3'UTR, of which ORF1 is an RNA binding protein with chaperone activity. The retrotransposition activity of LINE-1 has been demonstrated to involve ORF1 translocation to the nucleus [35]. Huh7 cells treated with or without BNT162b2 (0.5, 1.0 and 2.0  $\mu\text{g}/\text{mL}$ ) for 6 h were fixed and stained with antibodies binding to LINE-1 ORF1p, and DNA-specific probe Hoechst for visualization of cell nucleus (Figure 4a). Quantification of immunofluorescence staining intensity showed that BNT162b2 increased LINE-1 ORF1p protein levels in both the whole cell area and nucleus at all concentrations tested (Figure 4b–d).



**Figure 4.** Immunohistochemistry of Huh7 cells treated with BNT162b2 on LINE-1 protein distribution. Huh7 cells were treated without (Ctrl) or with 0.5, 1, and 2  $\mu\text{g}/\text{mL}$  of BNT162b2 for 6 h. Cells were fixed and stained with antibodies binding to LINE-1 ORF1p (red) and DNA-specific probe Hoechst for visualization of cell nucleus (blue). (a) Representative images of LINE-1 expression in Huh7 cells treated with or without BNT162b2. (b–d) Quantification of LINE-1 protein in whole cell area (b), cytosol (c), and nucleus (d). All data were analyzed using One-Way ANOVA, and graphs were created using GraphPad Prism V 9.2. All data is presented as mean  $\pm$  SD (\*\*  $p < 0.01$ ; \*\*\*  $p < 0.001$ ; \*\*\*\*  $p < 0.0001$  as indicated).

After seeing LINE-1 reverse transcriptase rise, they tested for alterations to the DNA, making sure they are not picking up the RNA instead.

transcribed into DNA when LINE-1 is elevated, we purified genomic DNA from Huh7 cells treated with 0.5 µg/mL of BNT162b2 for 6, 24, and 48 h. Purified DNA was treated with RNase to remove RNA and subjected to PCR using primers targeting BNT162b2, as illustrated in **Figure 1**. Amplified DNA fragments were then visualized by electrophoresis and gel-purified (**Figure 5**). BNT162b2 DNA amplicons were detected in all three time points (6, 24, and 48 h). Sanger sequencing confirmed that the DNA amplicons were identical to the BNT162b2 sequence flanked by the primers (**Table 2**). To ensure that the DNA amplicons were derived from DNA but not BNT162b2 RNA, we also performed PCR on RNA purified from Huh7 cells treated with 0.5 µg/mL BNT162b2 for 6 h, with or without RNase treatment (Ctrl 5 and 6 in **Figure 5**), and no amplicon was detected in the RNA samples subjected to PCR.



**Figure 5.** Detection of DNA amplicons of BNT162b2 in Huh7 cells treated with BNT162b2. Huh7 cells were treated without (Ctrl) or with 0.5 µg/mL of BNT162b2 for 6, 24, and 48 h. Genomic DNA was purified and digested with 100 µg/mL RNase. PCR was run on all samples with primers targeting BNT162b2, as shown in **Figure 1** and **Table 1**. DNA amplicons (444 bps) were visualized on agarose gel. BNT: BNT162b2; L: DNA ladder; Ctrl1: cultured Huh7 cells; Ctrl2: Huh7 cells without BNT162b2 treatment collected at 6 h; Ctrl3: Huh7 cells without BNT162b2 treatment collected at 24 h; Ctrl4: Huh7 cells without BNT162b2 treatment collected at 48 h; Ctrl5: RNA from Huh7 cells treated with 0.5 µg/mL of BNT162b2 for 6 h; Ctrl6: RNA from Huh7 cells treated with 0.5 µg/mL of BNT162b2 for 6 h, digested with RNase.

The genetic code that they picked up is:

CGAGGTGGCCAAGAATCTGAACGAGA

GCCTGATCGACCTGCAAGAACTGGGGAAGT ACGAGCAGTACATCAAGTGGCCCTGGTACA

TCTGGCTGGGCTTTATCGCCGACTGATTG CCATCGTGATGGTCACAATCATGCTGTGTT

GCATGACCAGCTGCTGTAGCTGCCTGAAGG GCTGTTGTAGCTGTGGCAGCTGCTGCAAGT

TCGACGAGGACGATTCTGAGCCCCTGCTGA

AGGGCGTGAAACTGCACTACACATGATGAC

TCGAGCTGGTACTGCATGCACGCAATGCTA GCTGCCCTTTCCCGTCCTGGGTACCCCGA

GTCTCCCCGACCTCGGGTCCCAGGTATGC TCCCACCTCCACCTGCCCACTCACCACCT

CTGCTAGTTCCAGACACCTCCCAAGCACGC AGCAATGCAGCTCAAACGCTTAGCCTA

Anyone wants to run BLAST on it?

# Simplified

As I explained in response to a questioner:

Pfizer mRNA vaccine changes our genetic code that determines how our organisms operate, that you inherited from your mom and dad. Now your DNA was changed from what your mom and dad gave you, by adding a little mysterious "edit" from Pfizer.

Your organism acts in accordance with your DNA program, and now, well, the program has been hacked and modified by Pfizer.

## Cancer Code

Considering that Sars-Cov-2 "spike protein" has cancer code from Moderna 2017 patent 9,587,003, it is imperative to find out the implications of this reverse transcription, and whether the vaccinated now have any undesirable genetic code embedded into their DNA.

Of particular interest is whether this mRNA-induced reverse transcription affects the "germ line", such as eggs and sperm cells, and whether it also affects the fetus of pregnant mothers.



Igor's Newsletter

### Moderna Patented CANCER GENE is in Sars-Cov-2 "Spike Protein"


I did a little bit more digging into the topic of my article about genes from 2018 Moderna patent. I wrote about it yesterday, but kept reading and digging and found much more disturbing stuff than I expected. First, a recap: Sars-Cov-2 virus has a genetic insert that exists ONLY in Moderna...

[Read more](#)

a month ago · 189 likes · 256 comments · Igor Chudov

Please repost this article far and wide due to its big implication for our public health.

EDIT: Our astute commenter pointed out an anonymous 4chan post from Dec 2020, long before any of this became known. The date makes us all ask, did this person know too much?



1MiB, 756x547, pd.png  
View Same Google iqdb SauceNAO Trace

**Anonymous** ID:CjV1c4Sa Wed 09 Dec 2020 04:22:55 No.295621351 [333 / 38 / 121]

[View](#) [Reply](#) [Original](#) [Report](#)

Quoted By: >>295621805 >>295622149 >>295622168 >>295622241 >>295622293  
>>295622302 >>295622410 >>295622483 >>295622603 >>295622774 >>295623062  
>>295623469 >>295623736 >>295623741 >>295623779 >>295624089 >>295624289  
>>295624304 >>295624495 >>295625215 >>295625376 >>295627306 >>295627673  
>>295627827 >>295628182 >>295628849 >>295629650 >>295629933 >>295630160  
>>295630241 >>295630390 >>295630940 >>295630981 >>295631051 >>295631178  
>>295631283 >>295631296 >>295631786 >>295632341 >>295632357 >>295632419  
>>295632739 >>295632768 >>295632904 >>295633435 >>295633483 >>295633848  
>>295633868 >>295633918 >>295634022 >>295634536 >>295634636 >>295634910

I'm an industrial engineer at Moderna and the other one of us is a process development engineer. I'm sure the same thing is happening with Pfizer-BioNTech. It was hard to put things together based on the small quantities of additions happening in manual step (highly unorthodox for a continuous process production). The explanation we got was highly sensitive trade secret adjuvants being added. Digging in deeper showed how sensitive it actually was.

Most people's understanding of this novel vaccine type is that it works as follows:

1. Make mRNA coding for S protein
2. Make lipid nanoparticle delivery system
3. Profit

How it actually works from what we've uncovered:

1. Make mRNA coding for S protein
2. Make mRNA coding for mutant versions of CYP19A1 and CDKN1B in smaller amounts
3. Make sure that while delivery system for (1) mostly ends up in liver, most of (2) ends up in the gonads
4. Make sure form and quantity of additive upregulating LINE-1 reverse transcription activity makes it hard to detect among legit adjuvants
5. Effects from (2) integrated by (4) are recessive; mildly oncogenic effects in vaccine recipients unlikely to be noticed for many years
6. (5) recessive but since most of population vaccinated, in next generation female offspring have premature ovarian failure

(6) coincides with poor people being obsoleted by AI and robotics, so we didn't have to dig for motivation. We've taken precautions but fear for our safety. So far I don't think we've raised suspicion, but can't be sure. Not sure what to do. Avoiding taking the vaccine makes us prime suspects for this leak.

Thank you for reading Igor's Newsletter. This post is public so feel free to share it.

**Subscribe to Igor's Newsletter**

By Igor Chudov · Launched 8 months ago

### Independent thoughts

Type your email...	Subscribe
--------------------	-----------

♡ 369

💬 419

↗ Share



Write a comment...



**WG** Feb 25 ♥ Liked by Igor Chudov

Good thing they skipped the 10 year vaccine development cycle. Warp speed baby!

What a train wreck :(

♡ 153 Reply

30 replies by Igor Chudov and others



**Joseph Vincetti** Feb 25 ♥ Liked by Igor Chudov

Much of this I was already aware of but it's always nice to have actual scientific confirmation. It's amazing how virtually all of the so-called conspiracy theories keep being proven entirely true.

From a more selfish perspective, I sincerely hope that those of us who remain unvaccinated yet were infected with Covid are not vulnerable to the Cancer causing proteins coded into the Covid virus since our DNA was never altered.

I really appreciate you taking the time to do these deep dives and summarizing the important findings for us.

♡ 97 Reply

104 replies by Igor Chudov and others

417 more comments...



## Ready for more?

Type your email...

**Subscribe**

---

© 2022 Igor Chudov · [Privacy](#) · [Terms](#) · [Collection notice](#)



**Publish on Substack**



**Get the app**

Substack is the home for great writing