

The Defender

COVID

Health Conditions

Toxic Exposures

Censorship/Surveillanc

October 3, 2024 > COVID > Health Conditions > News

COVID

Study of 1.7 Million Kids and Teens Who Got Pfizer COVID Vaccine Found Myopericarditis Only in Vaxed Groups

The preprint observational study using U.K. health system data also found the Pfizer-BioNTech COVID-19 vaccine provided children and teens with only about 14 to 15 weeks of protection against testing positive for the virus.

by Brenda Baletti, Ph.D.

OCTOBER 3, 2024



36786 PAGEVIEWS 15

LISTEN TO THIS ARTICLE



00:00/06:42

The Pfizer-BioNTech COVID-19 vaccine provided children and teens in England with only about 14 to 15 weeks of protection against testing positive for the virus, according to a **preprint study** of over 1.7 million children ages 5 to 15 in the English National Healthcare System (NHS).

Researchers investigating the safety and effectiveness of **Pfizer's vaccine** in fully vaccinated, partially vaccinated, and unvaccinated children and teens, also found cases of **myocarditis** and pericarditis only in vaccinated children.

"This study clearly shows that Pfizer's COVID vaccine provides almost no benefit to children and adolescents, but does increase their risk of myocarditis and pericarditis," said Brian Hooker, Ph.D., chief scientific officer of Children's Health Defense. "It begs the question: Why does the CDC continue to recommend these unlicensed shots for kids? Where is the data they use to support their statement that the benefits of these vaccines outweigh the risks?"

There were no **COVID-19 deaths** among any of the study subjects.

Public health agencies in the United Kingdom (U.K.) and in the U.S. granted authorization to the Pfizer **vaccines** based on clinical trials that measured immunogenicity — or how well the vaccine elicited an immune response in the body — and efficacy against infection.

The trials didn't test how well the vaccines protected against severe disease. They also didn't assess particular safety endpoints, like myocarditis and pericarditis, which have been reported globally.

MILLION DOLLAR MATCH

DONATE NOW

To address this lack of key data from the clinical trials, researchers from Oxford, Harvard, the London School of Hygiene and Tropical Medicine, the University of Bristol and **TPP**, a global digital health company, created a hypothetical trial based on real-world observational data.

Their research confirmed a large body of evidence showing links between the **COVID-19 shots** and myocarditis and pericarditis, particularly in adolescents.

The research also confirmed that even in 2021, when the vaccine was first authorized for children and teens, that age group did not face a high risk for COVID-19-related serious outcomes, including death or the need for emergency care, hospitalization or critical care.

Since then, that **risk has become even lower**.

The researchers conducted their investigation using data from the NHS' OpenSAFELY-TPP database, part of the **OpenSAFELY** platform, a secure platform that allows researchers to access de-identified NHS data.

The database covers 40% of English primary care practices and is linked to national coronavirus surveillance, hospital episodes and death registry data. It is funded by grants from the Wellcome Trust, the largest funder of medical research in the LLK, and one of the largest

The study included all adolescents in the database ages 12-15 and all children ages 5-11 as of Aug. 31, 2021, when the vaccine was authorized for that age group — over 1.7 million children.

Do you have a news tip? We want to hear from you!

To be eligible for the study, the children also had to be registered with a participating general practitioner who used the database for 42 days, had to have no evidence of COVID-19 infection within 30 days of vaccination, and their data had to include complete demographic information.

Clinically vulnerable children were excluded.

The researchers tested the effectiveness of the first vaccine dose versus no vaccine, and of two doses versus a single dose.

To do this, they matched each vaccinated child with an unvaccinated one. Participants were matched by age, sex, region, prior COVID-19 testing and childhood vaccination status.

The researchers then repeated the same method to compare outcomes for a second dose versus a single dose.

They tested for five measures of effectiveness — a positive COVID-19 test, visits to the emergency department, COVID-19 hospitalization, COVID-19 critical care admission and death from COVID-19.

In total, 410,463 teenagers who received one dose of the vaccine were matched to unvaccinated controls, and 220,929 adolescents who received two shots were matched to single-vaccinated controls.

Of the 1,262,784 children in the adolescent part of the study — vaccinated and unvaccinated — there were only 72 emergency room visits, 90 COVID-19 hospitalizations — three of which were critical care for unvaccinated children — and no deaths.

Initially, positive COVID-19 tests were lower in the vaccinated group. However, by 15 weeks post-vaccination, the rates of positive tests in both groups were similar. The incidence of needing either emergency care or hospitalization was slightly lower in the vaccinated group.

Similarly in the two-dose to one-dose comparison, the incidence of positive tests was initially lower in the first group, but by 14 weeks post-vaccination was about the same in both groups.

This article was funded by critical thinkers like you.

The Defender is 100% reader-supported. No corporate sponsors. No paywalls. Our writers and editors rely on you to fund stories like this that mainstream media won't write.

PLEASE DONATE TODAY

The incidence of hospitalization was slightly higher in the one-dose group than in the two-dose group.

Hooker said that is likely attributable to the "healthy vaccinee effect," where adverse events following a first dose of a vaccine increase hospitalizations. Then those people don't get a follow-up dose.

As a result, the people who do get a second dose are less likely to be people who have negative reactions to vaccines that require hospitalization.

In the 5- to 12-year-old age group, 177,360 who received the first dose were matched with unvaccinated controls and 66,231 children who received two doses were matched with single-dose controls.

Among all of the children in the vaccinated versus unvaccinated group, there were no emergency visits, only six hospitalizations and no deaths related to COVID-19.

There were three cases of pericarditis, all in vaccinated children.

Among all of the children in the two-dose versus one-dose group, there were no emergency visits. no hospitalizations and no deaths related to COVID-19.

We use cookies to ensure that we give you the best experience on our website. You consent to our cookies if you continue to use our website.

OK Privacy Policy



Brenda Baletti, Ph.D.

Brenda Baletti, Ph.D., is a senior reporter for The Defender. She wrote and taught about capitalism and politics for 10 years in the writing program at Duke University. She holds a Ph.D. in human geography from the University of North Carolina at Chapel Hill and a master's from the University of Texas at Austin.

REPUBLISH THIS ARTICLE 🗘						
SUGGEST A CORRECTION 🖍						
SHARE ARTICLE 🔼						
Get The Defender delivered to your inbox. No paywall. No ads. Just the uncensored news.						
First Name						
Last Name						
Email						
SIGN UP						

Children's Health Defense Comment Policy

We welcome relevant and respectful comments. Off-topic comments may be removed.

Got it

Please read our Comment Policy before commenting.

15 Com	nments			1 L	_ogin ▼
G	Join the discussion				
	LOG IN WITH	OR SIGN UP WITH DISQUS ?			
		Name			
♡ 2	Share		Best	Newest	Oldest
	Clare Goldsberry 5 days ago			-	. •

My son-in-law's great nephew, 12-year-old happy kid, dropped with a heart attack while playing football next door with his friend. He spent a week in ICU -- difficult for his parents to get an appointment with a pediatric cardiologist because they are booked solid with kids/teens having heart attacks. The parents were told it was from a case of Covid-19, but they said he'd not had Covid-19 -- of course they pulled the "asymptomatic" hoax on them, assuring them it couldn't have been the jab because that's "safe and effective." The truth will win out!



BOMBSHELL: New-Found Emails Prove Biden/Harris White House Hid COVID Vaccine Harms from the Public. 'Sharing Is Caring!'

https://expose-news.com/2023/09/23/bombshell-new-found-emails-prove-biden-white-house-hid-covid-vaccine-harms-from-the-public/

"ALWAYS REMEMBER THE BIDEN/HARRIS ADMIN MANDATED THE Jabs/VACCINES"!

vaccine mandate implemented by President Joe Biden's/Harris administration.

https://americanmilitarynews.com/2022/01/us-judge-grants-35-navy-seals-spec-ops-forces-temporary-relief-from-biden-vaccine-mandate/

BH387
5 days ago
Crimes against humanity, plain and simple.

17 0 Reply

holisticpoet
5 days ago

The medical profession has a difficult time believing that the Covid jab is causing any of this harm. If they acknowledge this fact then they also have to acknowledge that the education that they paid, a quarter million dollars or so was also a fraud. That is just to much for many of them to accept.

13 0 Reply ☑

r2bzjudge
4 days ago

"Myopericarditis Only in Vaxed Groups"

Consistent with the fact that no one was talking about myocarditis until people started receiving the Covid shots. However, a study touted on local TV news, blamed a virus for most of the heart issues in young people. The effort to cover up the truth that the Covid shots are not safe, continues.

12 0 Reply 🖆

Anne Temple — I

5 days ago

SHOCKER - said no sane person EVER.

7 0 Reply 🖆

58 — **F**

3 days ago

Anyone with common sense should never vote Democrat ever again. This issue alone disqualifies them from ever holding office. The democratic bureaucracy lied to the US citizen saying it was safe and effective, the leadership forced vaccinations and locked down states, and

We use cookies to ensure that we give you the best experience on our website. You consent to our cookies if you continue to use our website.

OK Privacy Policy

z days ago

Sure thing and not surprising at all!

1 0 Reply 🚅

jguy1957 — 🏴

3 days ago

The COVID virus did not affect 99.9% of people. Most of the people affected were above 60 years old and the death rate was very low. As the age got younger there was no affect. In past pandemic in the late 60s the US had 1M people affected yet the country did not close anything or push vaccines on the country, which had 177M at the time.

Initial reports by various Doctors in all parts of the USA was that a combination of HQC+Ivermectin+Z-pack would stop the COVID virus quickly. This was reported via the internet but was quickly blocked on the internet. The question is why was that blocked and who got the various internet providers to block it?

A normal vaccine takes 5 years to produce and cannot be issued unless there is less then 100 people that have side affects. The COVID vaccine was put out in a year by Big Pharma so it was not tested fully and it was made in China.



OCTOBER 5, 2024 "I'm Glad I Stood Up and Said No": The Medical Ethics

Professor Sacked for Standing Up to Vaccine Mandates He had served for almost 15 years as Professor of Psychiatry at UCI School of Medicine and Director of the Medical Ethics Programme at UCI Health, where he chaired the ethics committee. He was – and, of course, still is – a renowned and respected expert in his field. As a specialist, his comments were welcome in national newspapers and on television. He also chaired the ethics committee at the California Department of State Hospitals for several years.

https://dailysceptic.org/2024/10/05/im-glad-i-stood-up-and-said-no-the-medical-ethics-professor-sacked-for-standing-up-to-vaccine-mandates/

1 0 Reply 🚅



GrumpyGrandpa

3 days ago

The US Government worked pretty well and had an excellent reputation for 2+ CENTURIES, until Barack Obama, his Marxist ideology and Soros money WEAPONIZED key government functions and corrupted the DNC. We now have a hostile and incompetent government, staffed with A LOT of freaks, misfits and haters who want to bring DEATH TO AMERICA in all possible forms. Their commitment to evil can be witnessed by their election rigging, war mongering and surrenders, "health agencies" that actually create the poisons and mandate the shots, inflations, illegal



Support news that prioritizes your children's well-being

DONATE

Latest News



next

atal Exposure to 'Forever nicals' May Be Linked to er Risk of Obesity in Kids

EPA Knows These Commonly Used Pesticides Affect Brain Development

Latest Views



next

e 12 Policies Need to Change IfTips for Avoiding Fake Organic /ant True Health Freedom Labels — and Buying 'Real' Organic

Get Text Alerts

Sign up for breaking news from The Defender

123-456-7890

REQUIRED. Phone number must be in a standard 10-digit format: 1234567890 or 123-456-7890

CONTINUE

Currently only eligible for numbers in the U.S. and Canada.

THE DEFENDER IS AVAILABLE IN:

EN ES PT DE IT FR



Children's Health Defense® is a 501(c)(3) non-profit organization. Our mission is ending childhood health epidemics by eliminating toxic exposure. We will restore and protect the health of children by eliminating environmental exposures, holding responsible parties accountable, and establishing safeguards to prevent future harm of children's health. Protecting Children. Exposing Harms. Seeking Justice.

TAKE ACTION

DONATE FREE SIGN-UP

Donations are tax deductible to the full extent of the law. EIN #26-0388604

<u>Children's Health Defense</u> • <u>Legal Disclaimer</u>

<u>Terms of Use</u> • <u>Privacy Policy</u> • <u>Donate</u>

<u>About Us</u> • <u>Work for CHD</u> • <u>Contact</u> • <u>Social</u>

© 2016 - 2024 Children's Health Defense® All Rights Reserved • Sitemap